

To Create Light Where There is Darkness

Since 1975, Princeton Tec has developed products for the professional and the outdoor sports enthusiast. Princeton Tec's 47 year journey has pushed the limits of self-discovery and provided light for those who have explored all ends of the Earth. The spirit of adventure and history of meeting challenges continue to drive the growth and development of Princeton Tec and its products.



PRINCETON TEC PO BOX 8057 TRENTON, NJ T 609 298 9331 F 609 298 9601 PRINCETON TEC.COM @PTECLIGHTSIf PRINCETONTEC

in PRINCETON TEC

Contents

Headlamps

1-2 Hazardous Location Ratings

3-4 Vizz II

5-6 Eos II

7-8 Quad II

9-10 Eos 360

11-12 Vizz Industrial

13-14 Eos Industrial

15 Refuel Industrial

16 Quad Industrial

17-18 Snap Industrial

19-20 Apex Li Industrial

21-22 Apex Industrial

23 Remix Industrial

24 Sync Industrial

25 Byte

26 Snap Solo New

27-28 Vizz RGB New

29-30 Axis Li

Handhelds

31-32 Alloy-X

33-34 League II

35 Amp

36 League

37 Sector 5

38 Attitude

I

Hazardous Location Ratings

CLASSES	GROUPS	DIVIS	IONS
		1	2
CLASS I	A: Acetylene		
Gases, vapors, and liquids	B: Hydrogen, etc.		Not normally present in an
555	C: Ether, etc.	Normally explosive and hazardous	explosive concen- tration
	D: Hydrocarbons, fuels, solvents, etc. (gasoline,		(but may acciden- tally exist)
	acetone, alcohol)		tully exist)
CLASS II	E: Metal dusts (conduc- tive, and explosive)		
Combustable Dusts	F: Carbon dusts Coal,	Ignitable quantities of dust normally	Dust not normally suspended in an ignitable concen-
	Coke (some are conductive, and all are explosive)	are or may be in suspension, or con- ductive dust may	tration (but may acciden-
	G: Flour, starch, grain,	be present	tally exist), dust layers are present.
	combustible plastic or chemical dust (explosive)		
CLASS III			
Ignitable Fibers and filings	Textiles, wood-working,		Stored or handled
	etc. <i>(easily ignitable, but</i>	Handled or used in manufacturing	in storage (exclu- sive of manufac-
	not likely to be explosive)		turing)



Rated Lights

League II	ETL Rating Zone 0 CL I,	II,III Div 1,2 Groups A-G	Temp code: T4
Vizz II	ETL Rating Zone 0 CL I,	II,III Div 1,2 Groups A-G	Temp code: T4
EOS II	UL Rating: CL I. DIV 1	Groups: A,B,C,D	Temp code: T4
Quad II	UL Rating: CL I. DIV 1	Groups: A,B,C,D	Temp Code: T4
EOS IND	UL Rating: CL I. DIV 2	Groups: A,B,C,D Group: F,G	CL II. DIV 2 Temp code: T6
Quad IND	UL Rating: CL I. DIV 2	Groups: A,B,C,D Groups: F,G	CL II. DIV 2 Temp code: T6
Арех	UL Rating: CL I. DIV 2	Groups: A,B,C,D Groups: F,G	CL II. DIV 2 Temp code: T6
Torrent	UL Rating: CL I. DIV 2	Groups: A,B,C,D Groups: F,G	CL II. DIV 2 Temp code: T6
Sector 5	UL Rating: CL I. DIV 2	Groups: A,B,C,D	Temp code: T6

Numerous locations exist where a specific type of light is required for that kind of environment.

Class and Division are highlighted.

Class I, II, and III are called out whereas;

Class I locations are hazardous areas by the presence of flammable vapors, liquids, or gasses.

Class II is an area where combustible dusts are present and

Class III is an area that contains fibers, flyings, or fibers which are easily ignitable.

Division designates that the likelihood of ignitable concentrations of materials that are flammable are present. They showcase

two divisions of which:

Division 1 is an area where concentrations of flammable dusts, liquids, or vapors can exist some of the time or all of the time under normal conditions of operation or where easily ignitable flyings and fibers are used, manufactured, or handled.

Division 2 are areas where ignitable concentrations are not likely to appear or exist under normal operating procedures or where Class III items are handled or kept in storage. Princeton Tec has the above noted products that meet these strict safety ratings.

Intrinsically Safe





Vizz II

PN#: VIZZ-II

ETL Rating

Zone 0 CL I,II,III Div 1,2 Groups A-G. Temp code: T4

Elevated Button

With extended height, Vizz II's button is easily recognized through Class 2 gloves.



Three Modes

Vizz II provides a spot beam, as well as high and low flood beams.

Waterproof

Rated IPX7, Vizz II can withstand up to one meter of water.







HEADSTRAP

HARDHAT STRAP 3M DU

3M DUAL-LOCK

200

102h

92 GRAMS IPX7
WATERPROOF

3 AAA

MADE IN USA

Modes	Runtime	Beam Pattern	Reserve
SPOT HIGH SPOT LOW	3.5h — 66 —		30h 45h
FLOOD HIGH	7h -		97h
FLOOD LOW	102h		6h
DISTANCE (m)	0	10 16 36 60	



Eos II

PN#: EOS-II-BK

UL Rating

Class I Division 1 Groups A, B, C & D

Press and Hold Off

To avoid accidental deactivation, Eos II's button requires a press and hold action to turn it off.



Waterproof

Rated IPX7, EOS II can withstand up to one meter of water.

Two Modes

With one simple button, switch between high and low spot beams.









ADSTRAP HARDHAT STRAP

3M DUAL-LOCK

170

100h

105 grams IPX7
WATERPROOF

3 AAA ALKALINE MADE IN

Modes	Runtime	Beam Pattern / Dimmable	Reserve
SPOT HIGH SPOT LOW	4h 100h		76h 8h
DISTANCE (m)		0 22 65	



Quad II

PN#: QUAD-II

UL Rating

Class I Division 1 Groups A, B, C & D

Two Modes

Quad II features high and low flood beams.



Waterproof

Rated IPX7, Quad II can withstand up to one meter of water.

Battery Indicator

A red LED activates when Quad II is in need of a battery swap.







HEADSTRAP

HARDHAT STRAP

3M DUAL-LOCK

78

64h

96 GRAMS IPX7
WATERPROOF

3 AAA ALKALINE MADE IN

Modes	Runtime	Beam Pattern / Dimmable	Regulated	Reserve
HIGH FLOOD LOW FLOOD	6.5h '		1h 5h	98h 46h
DISTANCE (m)				





Eos 360

PN#: EOS360-BK

Slip Resistant

EOS 360 is hard hat friendly with its rubberized band.

Headlamp

Mounted on the rubber strap is our EOS headlamp, which simultaneously provides a task light in addition to its visibility function.



360° Visibility

LED band provides 360° visibility that is enhanced by highly reflective strips.

Two Modes

The LED band provides a constant on as well as a safety flash mode.

165 LUMENS 163 GRAMS IPX7
WATERPROOF

3 AAA ALKALINE MADE IN USA

	Mode	Runtime	Distance
	High	4h	68m
EOS HEADLAMP ONLY	Low	32h	34m
	Strobe	34h	68m
EOS W/ BAND & CONSTANT	High	4h	72m
EUS W/ BAND & CONSTANT	Low	15h	29m
DAND ONLY	Band Constant	27h	6m
BAND ONLY	Band Strobe	100h	3m
FOC W/ BAND & CTROPE	High	4h	72m
EOS W/ BAND & STROBE	Low	24h	33m





Vizz Industrial

PN#: VIZZ-IND

Elevated Button

With extended height, Vizz Industrial's button is easily recognized through Class 2 gloves.



Waterproof

Rated IPX7, Vizz Industrial can withstand up to one meter of water.

Lithium Compatible

Can be powered by lithium batteries for operation in a wider temperature range.







HEADSTRAP

HARDHAT STRAP 3M DUAL-LOCK

550 LUMENS 100h

92 GRAMS IPX7
WATERPROOF

3 AAA

MADE IN USA

Modes	Runtime				Beam Pattern		Reserve
SPOT HIGH	1.5h						53.5h
SPOT LOW	40h						64h
FLOOD HIGH	90h						14h
FLOOD LOW	100h						8h
DISTANCE (m)		0	10	28	36	8!	5





EOS Industrial

PN#: EOS-IND

UL Rating:

Class I Div. 2 Class 2, Div. 2 Class I Div. 2 Groups A, B, C & D. Class II Div. 2 Groups F & G



Waterproof

Rated IPX7, Eos Industrial can withstand up to one meter of water.

Four Modes

Features high, medium, and low spot beams, as well as a strobe function.







HEADSTRAP

HARDHAT STRAP 3M DUAL-LOCK

300

32h

105 grams IPX7
WATERPROOF

3 AAA ALKALINE MADE IN USA

Modes	Runtime	Beam Pattern	Reserve
HIGH SPOT	1.5h		113.5h
STROBE MEDIUM SPOT LOW SPOT	9.5h 2h 32h		50.5h 95h 14h
DISTANCE (m)		0 45 91 105	

Refuel Industrial

PN#: RF-IND

Easy-Open Battery Door

Features a larger lip for easier access providing painless battery swaps.

Simple

With its one mode, a dimmable white flood light, Refuel is easily and intuitively operated.



Compact

The smallest and lightest of our 3 AAA headlamps at 2.8 oz.







HEADSTRAP

HARDHAT STRAP

3M DUAL-LOCK

300 LUMENS 42h

78 GRAMS IPX4
WATER
RESISTANT

3 AAA ALKALINE

MADE IN USA

Modes	Runtime	Beam Pattern / Dimmable	Reserve
HIGH FLOOD	2h		30h
LOW FLOOD	85h		15h
DISTANCE (m)) 10 30	



Quad Industrial

PN#: QUAD-IND

UL Rating:

Class I Div. 2 Class 2, Div. 2 Class I Div. 2 Groups A, B, C & D. Class II Div. 2 Groups F & G

Four Modes

Quad Ind features high, medium, and low flood beams, as well as a strobe function.



Waterproof

Rated IPX7, Quad Industrial can withstand up to one meter of water.

Battery Indicator

A red LED activates when Quad Industrial is in need of a battery swap.







HEADSTRAP

HARDHAT STRAP 3M D

3M DUAL-LOCK

78 LUMENS 60h

96

IPX7
WATERPROOF

3 AAA

MADE IN

Modes	Runtime		Beam Patter	rn	Reserve
FLOOD HIGH STROBE FLOOD MED FLOOD LOW	8h 130h 73h 60h	·····		ווווווווווווווווווווווווווווווווווווווו	72h 20h 18h 48h
DISTANCE (m)		0	17	24	50





Snap Industrial

PN#: SNAP-IND

Removable Head Unit

An unmatched magnetic design allows Snap to be detached from its bracket for use as a handheld, or fastened to metal surfaces.

Dimmable Switch

With a simple hold of the button, Snap can be easily dimmed or transitioned to flash mode.



Red LED

Preserve night vision while providing light for close-up tasks.







HEADSTRAP

HARDHAT STRAP

3M DUAL-LOCK

450

100h RUNTIME 99

IPX4
WATER
RESISTANT

3 AAA ALKALINE

MADE IN USA

Modes	Runtime		Beam Patt	ern	Reserve
HIGH SPOT LOW SPOT WHITE STROBE	6h 100h 7H	·····			60h 5h
RED	160h				60h
STROBE RED	105h	-01)))))))			
DISTANCE (m)		0 5	10	60	





Apex Li Industrial

PN#: APXL-RC-IND

USB Charging

Provides simple and convenient charging, even on the go.

Enduring

The longest lasting rechargeable headlamp on the market with a reliable run time of 13 hours on a single charge.



Extended Power Cable

The battery pack that is clipped to the head strap can be easily moved to your pack or jacket pocket.







HEADSTRAP

HARDHAT STRAP

3M DUAL-LOCK

550

13h

283 GRAMS IPX7
WATERPROOF

LITHIUM-ION RECHARGEABLE MADE IN

Modes	Runtime			Beam Pattern			Reserve
SPOT HIGH	6.6h						5h
SPOT MED.	8.1h						3.4h
SPOT LOW	12h						-
FLOOD HIGH	11h		Muco				1.5h
FLOOD STROBE	13h						-
FLOOD LOW	13h						
DISTANCE (m)	0	20	35	43	76	90	





Apex Industrial

PN#: APX-BK-IND



Class I Div. 2 Class 2, Div. 2 Class I Div. 2 Groups A, B, C & D. Class II Div. 2 Groups F & G

Powerful

With 650 lumens, Apex is the most powerful of all our headlamps.



Tactile Indicators

Embossed buttons mark the difference between the spot and flood beams, providing an easy switch between the two.







HEADSTRAP

HARDHAT STRAP

3M DUAL-LOCK

650 LUMENS 12h

279 GRAMS

IPX7
WATERPROOF

4 AA
ALKALINE

MADE IN

Modes	Runtime			Ве	am Pattern			Reserve
SPOT HIGH	1.5h							0.5h
SPOT MED.	11h							-
SPOT LOW	12h							84h
FLOOD HIGH	10h	\leq						90h
FLOOD STROBE	10h	•••	ענוייי					190h
FLOOD LOW	6h							144h
DISTANCE (m))	22	43	67	92	120	

Remix Industrial

PN#: HYB-IND PN#: HYB-UV-BK PN#: RMX22-RGB-BK

Triple LED Cluster

Three LEDs provide a white flood for close range area light.

Spot Beam

Provides a long throw of concentrated bright light.



Water Resistant

Rated IPX4, Remix is protected from splashing water and rain.







HEADSTRAP

HARDHAT STRAP

3M DUAL-LOCK


450 LUMENS

130h

83 GRAMS

IPX4
WATER
RESISTANT

3 AAA ALKALINE MADE IN USA





Sync Industrial

PN#: SYNC-IND

Three Modes

Sync offers a red mode, two flood modes, a spot beam, and dual beam.

Glove Friendly

Can easily be activated and switched between modes without the need to remove gloves.



Dial-Activated Mode Control

Bypass button pressing sequences by turning a dial to switch between modes quickly and simply.







HEADSTRAP

HARDHAT STRAP

3M DUAL-LOCK

300

60h

83 GRAMS IPX4
WATER RESISTANT

3 AAA ALKALINE MADE IN

Modes	Runtime		Beam	Pattern		Reserve
DUAL BEAM	4h					76h
HIGH SPOT	4.5h ——					60.5h
HIGH FLOOD	13h					25h
LOW FLOOD	60h -					20h
RED	130h					20h
DISTANCE (m)	0	6	11	22	40 46	

Byte

PN#: BYT21-BK

3/4 Inch Headstrap

Byte features a slim headstrap that complements its compact design

Four Modes

Provides both high and low white spot beams, as well as a red beam.



Compact


The smallest and lightest of our headlamps at just 64 grams. Perfect for when low pack weight is crucial.

200

12h

64 GRAMS IPX4
WATER RESISTANT

2 AAA ALKALINE MADE IN





Snap solo NEW

PN#: SNSOLO23-BK/DK

Removable Head Unit

An unmatched magnetic design allows Snap to be detached from its bracket for use as a handheld, or fastened to metal surfaces.

Dimmable Switch

With a simple hold of the button, Snap can be easily dimmed or transitioned to flash mode.



Red LED

Red LED preserve night vision while providing light for close-up tasks.

450

100h

99 GRAMS IPX4
WATER
RESISTANT

3 AAA ALKALINE MADE IN USA

Modes	Runtime			Beam Pattern	Reserve
HIGH SPOT LOW SPOT WHITE STROBE		·······			60h 5h -
RED STROBE RED	160h 105h				60h -
DISTANCE (m)		0	5 10	60	<u> </u>





Vizz RGB NEW

PN#: VIZZ23-RGB-BK

Digital Lockout

Vizz RGB can be locked when not in use to prevent accidental activation and unnesecary battery drain.



Waterproof

Rated IPX7, Vizz RGB can withstand up to one meter of water.

Specialty Color LEDs

Along with white, Vizz RGB also provides red, green and blue light.

550

33h

92

IPX7 WATERPROOF 3 AAA ALKALINE

MADE IN USA

Modes	Runtime			Ве	eam Pattern		Reserve
SPOT HIGH	2.5h						70
SPOT LOW	33h						80
RED	45 h						45
GREEN	55 h						100
BLUE	40 h						40
DISTANCE (m)		0	5	20	25	95	





Axis Li

PN#: AX-RC-IND

Micro USB Rechargeable

Fueled by a sealed lithium rechargeable battery, charged via a micro USB port.

Digital Lockout

Axis can be locked when not in use to prevent accidental activation.




Ambidextrous Glove Friendly Operation

Unit can be oriented with the controls facing left or right for access to all four modes and dimming with either hand.

450 LUMENS 15h

81 GRAMS IPX4
WATER RESISTANT

LITHIUM-ION RECHARGEABLE MADE IN USA







Alloy-X

PN#: ALLOY-X

Textured Knurling

Ensures a firm and secure grip.

Detatchable pocket clip

The pen light secures to your pocket or belt for quick and easy access to light.

ALLOY-X

Dual-Fuel

Powered by the included rechargeable lithium battery or 2 AAA alkaline batteries.

One-Touch Tail Switch

A simple click activates Alloy-X, as well as cycles through high, low, and medium spot modes.

400 34h 42 IPX7 LI-ION RECHARGEA

UMENS RUNTIME GRAMS WATERPROOF RECHARGEABLE ALKALINE

PERFORMANCE (Li-ion) Modes Runtime Beam Pattern Lumens **HIGH SPOT** .7h 400 MED. SPOT 1.5h 240 4 **LOW SPOT** 34h DISTANCE (m) 56 46

Intrinsically Safe





League II

PN: LG2-NY

ETL Rating

ETL Rating: Class I Division 1 & 2. Groups A, B, C, D, F & G

Toggle Switch

Allows for easy activation and includes a lock feature to avoid battery drain while in transit or storage.



12° Angled Head

Ensures a comfortable grip, allowing you to hold your hand straight, while still providing light in the desired location.

Large Clip Area

A place to tether League to a carabiner and attach it to virtually anything.

150 LUMENS 10h

203 GRAMS IPX8
WATERPROOF

3 AA

MADE IN USA

Modes	Runtime		Beam Pattern	Reserve
SPOT HIGH	10h			26h
DISTANCE (m)		0	65	130

Amp

PN#: A90LBC-NY ■ PN#: A90LBC-BK

Light Diffusing Cone

Equipped with a snap on translucent cone, Amp has the ability to transform into a marker light, hanging lantern, or area light.

Bottle Opener

Amp's large carabiner loop doubles as a bottle opener, so you're all set to crack open a beverage after your long day.



Comfortable Grip

With its over-molded grip, Amp sits comfortably in your hand.

Large Carabiner Loop

Attach Amp to virtually anything.

100 LUMENS 7.4h

57

IPX8
WATERPROOF

2 AAA
ALKALINE

MADE IN USA

		<u> </u>			
Modes	Runtime		Beam Pattern		Reserve
SPOT HIGH	7.4h				65h
DISTANCE (m	1)	0	32	64	



League

PN#: LG4-NY **■ PN#:** LG4-BK

Toggle Switch

Allows for easy activation and includes a lock feature to avoid battery drain while in transit or storage.

Large Clip Area

A place to tether League to a carabiner and attach it to virtually anything.



12° Angled Head

Ensures a comfortable grip, allowing you to hold your hand straight, while still providing light in the desired location.

42C

3.5h

203 GRAMS IPX8
WATERPROOF

4 AA
ALKALINE

MADE IN

Modes	Runtime		Beam Pattern	Reserve
SPOT HIGH	3.5h			156h
DISTANCE (m)		0	65	130

Sector 5


PN#: S522-NY
■ PN#: S522-BK

UL Rating

UL Rating: Class I Division 2, Groups A, B, C & D

Lock Protection

Can be locked to prevent accidental activation while in transit or storage.



1200 LUMENS 13h

650 GRAMS

IPX8
WATERPROOF

4 C ALKALINE MADE IN USA

Modes	Runtime		Beam Pattern	Rese	erve
SPOT HIGH	6h			1	lh
SPOT LOW	13h			1	lh
DISTANCE (m	1)	0	100	230	



Attitude

PN#: AT22-NY■ PN#: AT22-BK

Twist Bezel Activation

Allows for quick and easy operation while also being glove friendly.

Small Ergonomic Design

Lightweight and intuitively operated, Attitude is easy to use and convenient to bring along.



Waterproof

Rated IPX8, Attitude can withstand up to 100 meters of water.

Integrated Clip

Easy pocket carry when your hands are full

400

2.5h

80 Grams IPX8 WATERPROOF 4 AAA

MADE IN

FERFO	MINISTR	CE			
Modes	Runtime		Beam Pattern		Reserve
SPOT HIGH	2.5h				108h
DISTANCE (m	1)	0	37	75	

The right light, when you need it.

Princeton Tec also manufactures personal lighting products that meet the specialized needs of the military, first responders, outdoorsmen and other everyday heroes.





